



北京环瑞商贸有限公司

BEIJING HUANRUI Co., Ltd


VP-210 快速接頭

Compression Coupling

- Specification: Schedule 40 / CTS
- Suitable for instant repair and emergency piping
- Suitable for IPS / CTS standard plastic piping system

- 規格：Schedule 40 / CTS
- 適用緊急搶修或無法停機時之換管工程
- 適用IPS或CTS鋼管規格之塑膠管路系統

Type 品號	Size 尺寸	Standard 規格	Material 材質	Seat 墊座
VP-210	3/8"~6"	ANSI, JIS, BS (IPS)	PVC	NR
VP-211	1/2"~1"	ANSI (CTS)	CPVC	NR



I.P.S.DIM.

Nom.	SIZE	10mm (3/8")	15mm (1/2")	20mm (3/4")	25mm (1")	32mm (1-1/4")	40mm (1-1/2")	50mm (2")	65mm (2-1/2")	80mm (3")	100mm (4")	150mm (6")
L		114	133	135	146	160	175	200	252	276	303	285
D		33	47	53	67	73	80	92	115	134	161	223
d0	BS	16.8	21.0	26.4	33.2	41.8	47.9	60.0	75.0	88.5	113.9	167.8
	ANSI	16.8	21.0	26.47	33.2	42.0	48.0	60.1	72.8	88.7	114.1	168.0
	JIS	17.8	21.8	25.8	31.8	37.8	47.8	59.8	75.8	88.8	113.8	168.0
d		18	23	30	36	46	52	65	64	92	118	174

NO.	PART	MATERIAL	Q'TY
1	BODY	UPVC, CPVC	1
2	UNION NUT	UPVC, CPVC	2
3	SEAT	NR	2

C.T.S.DIM.

Nom.	SIZE	15mm (1/2")	20mm (3/4")	25mm (1")
L		114	127	135
D		33	47	53
d0		16.08	22.45	28.83
d		18	24	30

